Applicant: Jun Koyama et al. Serial No.: 09/923,433

Filed

: August 8, 2001

Page

: 2 of 9

)

#### Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

# Listing of Claims:

## 1-4. (Canceled)

5. (Currently Amended) A liquid crystal display device comprising pixels, wherein each of said pixels has n x m (n and m are both natural numbers equal to or greater than 2) memory circuits, n gate signal lines, n TFTs having gate electrodes, and a D/A converter for converting n bit digital signals stored in said n x m memory circuits into analog signals, [[and]]

wherein <u>said</u> each of said pixels stores digital signals corresponding to m frames <u>in the n</u> x m memory circuits, and

wherein each of said gate electrodes is connected to a corresponding one of said n gate signal lines.

- 6. (Canceled)
- 7. (Canceled)
- 8. (Currently Amended) A liquid crystal display device comprising pixels, each of said pixels comprising:
  - a liquid crystal element; and
- a source signal line, n (n is a natural number equal to or greater than 2) gate signal lines, n TFTs having gate electrodes, n memory circuits, and a D/A converter,

Applicant: Jun Koyama et al. Serial No.: 09/923,433 Filed: August 8, 2001

Page : 3 of 9

wherein each of said gate electrodes is connected to <u>a corresponding</u> one of said n gate signal lines, and each of said n TFTs has a source region and a drain region, one of which is connected to said source signal line and the other of which is connected to an input terminal of one of said n memory circuits,

wherein an output terminal of each of said n memory circuits is connected to an input terminal of said D/A converter, and

wherein an output terminal of said D/A converter is connected to said liquid crystal element.

## 9. (Canceled)

10. (Previously Presented) A liquid crystal display device according to claim 8, wherein: said liquid crystal display device has a source signal line driving circuit including shift registers, first latch circuits, second latch circuits, and switches,

said first latch circuits hold n bit digital signals upon receiving sampling pulses from said shift registers until said n bit digital signals are transferred to said second latch circuits, and said switches select said n bit digital signals that have been transferred to said second latch circuits one bit at a time to input said selected signals into said source signal line.

11. (Original) A liquid crystal display device according to claim 8, wherein said liquid crystal display device has a source signal line driving circuit including shift registers, first latch circuits, and second latch circuits, and

wherein said first latch circuits hold 1 bit digital signals upon receiving sampling pulses from said shift registers until said 1 bit digital signals are transferred to said second latch circuits.

#### 12-32. (Canceled)

33. (Previously Presented) A liquid crystal display device according to claim 5, wherein

Attorney's Docket No.: 12732-064001 / US5158/5166

Applicant: Jun Koyama et al. Serial No.: 09/923,433 Filed: August 8, 2001

Page: 4

: 4 of 9

said memory circuits and said D/A converter are arranged so as to overlap a source signal line.

34-36. (Canceled)

37. (Previously Presented) A liquid crystal display device according to claim 5, wherein said memory circuits and said D/A converter are arranged so as to overlap a gate signal line.

38-46. (Canceled)

- 47. (Previously Presented) A liquid crystal display device according to claim 5, wherein said memory circuits are formed over one selected from the group consisting of a glass substrate, a plastic substrate, a stainless steel substrate, and a single crystal wafer.
- 48. (Previously Presented) A liquid crystal display device according to claim 8, wherein said memory circuits are formed over one selected from the group consisting of a glass substrate, a plastic substrate, a stainless steel substrate, and a single crystal wafer.

49-52. (Canceled)

- 53. (Previously Presented) A liquid crystal display device according to claim 5, wherein said liquid crystal display device is incorporated in one selected from the group consisting of a mobile telephone, a video camera, a mobile computer, a head mount display, a television set, a portable electronic book, a personal computer, and a digital camera.
- 54. (Previously Presented) A liquid crystal display device according to claim 8, wherein said liquid crystal display device is incorporated in one selected from the group consisting of a mobile telephone, a video camera, a mobile computer, a head mount display, a television set, a portable electronic book, a personal computer, and a digital camera.

Applicant: Jun Koyama et al. Serial No.: 09/923,433 Filed: August 8, 2001

Page: 5 of 9

55-69. (Canceled)

70. (Currently Amended) A liquid crystal display device comprising pixels, wherein each of said pixels has a liquid crystal element, n x m (n and m are both natural numbers equal to or greater than 2) memory circuits, n gate signal lines, n TFTs having gate electrodes, and a D/A converter for converting n bit digital signals stored in said n x m memory circuits into analog signals, [[and]]

wherein each of said pixels stores digital signals corresponding to m frames, and wherein each of said gate electrodes is connected to a corresponding one of said n gate signal lines.

- 71. (Previously Presented) A liquid crystal display device according to claim 70, wherein said memory circuits and said D/A converter are arranged so as to overlap a source signal line.
- 72. (Previously Presented) A liquid crystal display device according to claim 70, wherein said memory circuits and said D/A converter are arranged so as to overlap a gate signal line.

#### 73. (Canceled)

- 74. (Previously Presented) A liquid crystal display device according to claim 70, wherein said memory circuits are formed over one selected from the group consisting of a glass substrate, a plastic substrate, a stainless steel substrate, and a single crystal wafer.
- 75. (Previously Presented) A liquid crystal display device according to claim 70, wherein said liquid crystal display device is incorporated in one selected from the group consisting of a mobile telephone, a video camera, a mobile computer, a head mount display, a television set, a portable electronic book, a personal computer, and a digital camera.

Applicant: Jun Koyama et al. Serial No.: 09/923,433 : August 8, 2001 Filed

Page

: 6 of 9

76. (Currently Amended) A liquid crystal display device comprising pixels, each of said pixels comprising:

a source signal line, n (n is a natural number equal to or greater than 2) gate signal lines, n TFTs having gate electrodes, n memory circuits, and a D/A converter,

wherein each of said gate electrodes is connected to a corresponding one of said n gate signal lines, and each of said n TFTs has a source region and a drain region, one of which is connected to said source signal line and the other of which is connected to an input terminal of one of said n memory circuits,

wherein an output terminal of each of said n memory circuits is connected to an input terminal of said D/A converter, and

wherein an output terminal of said D/A converter is connected to said liquid crystal element.

77. (Previously Presented) A liquid crystal display device according to claim 76, wherein: said liquid crystal display device has a source signal line driving circuit including shift registers, first latch circuits, second latch circuits, and switches,

said first latch circuits hold n bit digital signals upon receiving sampling pulses from said shift registers until said n bit digital signals are transferred to said second latch circuits, and said switches select said n bit digital signals that have been transferred to said second latch circuits one bit at a time to input said selected signals into said source signal line.

78. (Previously Presented) A liquid crystal display device according to claim 76, wherein said liquid crystal display device has a source signal line driving circuit including shift registers, first latch circuits, and second latch circuits, and

wherein said first latch circuits hold 1 bit digital signals upon receiving sampling pulses from said shift registers until said 1 bit digital signals are transferred to said second latch circuits.

Attorney's Docket No.: 12732-064001 / US5158/5166

Applicant: Jun Koyama et al. Serial No.: 09/923,433

Filed

: August 8, 2001

Page : 7 of 9

## 79. (Canceled)

- 80. (Previously Presented) A liquid crystal display device according to claim 76, wherein said memory circuits are formed over one selected from the group consisting of a glass substrate, a plastic substrate, a stainless steel substrate, and a single crystal wafer.
- 81. (Previously Presented) A liquid crystal display device according to claim 76, wherein said liquid crystal display device is incorporated in one selected from the group consisting of a mobile telephone, a video camera, a mobile computer, a head mount display, a television set, a portable electronic book, a personal computer, and a digital camera.